

QUALITEC TRAILERS



Daytona - Motorcycle Trailers



AeroStar - Aluminum Flat Top Slant Wedge



Comanche & Mountaineer - Snow Trailers



Phoenix - Car Haulers



Yukon - Cargo Trailers



Open Utility Trailers



Open Car Haulers

QUALITY BY DESIGN

YUKON

CARGO TRAILERS



Shown With Optional Round Top Wedge Front Package



Shown With Optional Round Top No Wedge Package



Yukon Shown With Slant Wedge Option

Yukon Wedge Series Standard Features

2x6 Tube Steel Main Rails (8.5 wide)
2x5 Tube Steel Main Rails (7wide)
2x4 Tube Steel Main Rails (6wide TA)
2x3 Tube Steel Main Rails (5x & 6w SA)
Steel Wall Z-Post (16" O/C)
Tube Steel Roof Bows (24"O/C)
16" O/C Floor Crossmembers
3500# or 5200# Lippert Spring Axle (s)
Electric Brakes on 7wide Single Axles
Wide Track Axle/s on 7wide
ST205/75D15 Silver Bias Tires & Wheels (SA/TA-TA2)
ST225/75D15 Silver Bias Tires & Wheels (TA3 Only)
2" Ball Coupler on SA
2-5/16" Ball Coupler on TA
7 Way Electrical Plug (4-Way on SA)
.030 Exterior Aluminum
Galvalume Roof
Painted Tongue/Rear Sill Black
1-1/2" Flat Bottom Trim

Smooth Aluminum Fenders
Screwless Exterior Metal
24" Tall ATP Stoneguard
Roof Vent
**24" Flat Top Wedge on 5-6x Models
**30" Flat Top Wedge on 7x & 8.5x Models
3/4" RainBlock Floor
3/8" Plywood Walls
*No Side Door on 5 Wide Models
*32" Aluminum Frame Side Door on 6, 7, 8.5 Wide Models
Aluminum Frame Dbl Rear Doors on 6,7, & 8.5 Wide
Aluminum Frame Single Rear Door on 5 Wide
Zinc Coated Door Hardware
LED Strip Tail Lights
Incandescent Marker (7 Red & 4 Amber)
12V Dome Light w/Switch
DOT/CSA Approved Safety Equipment
Limited 3 Year Warranty

ALUMINUM FLAT TOP SLANT WEDGE

Aerostar



Aerostar 6 Wide

Aerostar 7 Wide Shown With Optional Two-Tone Exterior

Aerostar 8.5 Wide

Aerostar Series Standard Features

2" x 3" Tubular Aluminum Main Frame on SA
2" x 4" Tubular Aluminum Main Frame on 7x
2" x 6" Double Hollow Tube Aluminum Main Frame on 8.5x
2" x 5" Double Hollow Tube Aluminum A-Frame on 8.5x
24" O/C Tube Alum Floor Crossmembers (16" O/C on 8.5x)
16" O/C Tube Aluminum Walls Studs on all Models
24" O/C Tube Aluminum Roof Bows
3500# or 5200# Lippert Spring Axle/s w/4" Drop
Brake Axles w/Breakaway Switch on TA
Widetrack Axles (No Interior Wheelwells) on 7x
Beavertail on 8.5x
ST205/75R15 LRC Radial Tires
ST225/75R15 LRE Radial Tires (TA3 Only)
Aluminum Wheels w/SS Center Caps & Lug Nuts
2-5/16" Coupler - TA (Adj. Coupler on 8.5wide)
2" Coupler - SA
7 Way Electrical Plug (4 way on SA)
3" Top & Bottom Trim
24" ATP Stoneguard (18" on 5x)
Seamless Aluminum Roof Flat Top Slant Wedge
.030 Screwless Aluminum Exterior

Smooth Aluminum Fenders
Roof Vent (Centered)
24" Slant Wedgefront on 5 & 6x
30" Slant Wedgefront on 7x
36" Slant Wedgefront on 8.5x
No Side Door on 5x
32" Aluminum Frame Side Door on 6x
36" Aluminum Frame Side Door on 7x
48" Aluminum Frame Side Door on 8.5x
Side Door Pull Handle
Single Rear Door w/ Cam Lock on 5x
Double Rear Doors w/ Cam Lock on 6 & 7x
Ramp Door w/ Spring Assist on 8.5x
Zinc Coated Door Hardware
3/4" RainBlock Floor
3/8" Plywood Walls
(2) 12 Volt Dome Lights w/Switch
LED Strip Marker and Tail Lights
(4) D-Rings #5000 - New**
DOT/CSA Approved Safety Equipment
Limited 3 Year Warranty

DAYTONA

STEEL & ALUMINUM MOTORCYCLE TRAILERS



6 x 12 Daytona Steel Frame



7 x 12 Daytona Steel Frame



7 x 14 Daytona Aluminum Frame

Daytona Series Standard Features

Tubular Steel Main Frame
Tube Steel Wall Studs (16" O/C)
Tube Steel Roof Bows (24" O/C)
24" O/C Floor Crossmembers
3500# Lippert Spring Axle w/4" Drop
ST205/75R-15 LRC Radial Tires
Aluminum Star Wheels w/SS Center Caps & Lug Nuts
2-5/16" Coupler With A-Frame (2" on SA)
Painted Tongue & Rear Sill (Ramp Door)
.030 Screwless Exterior Aluminum
Seamless Aluminum Flat Top Roof
2-Tone Exterior w/12" Bright Anodized Alum. Bottom
Bright Anodized 4" Divider Strip Between 2-Tone (Both Sides)
Bright Nose and Rear Header and Corner Posts
Smooth Aluminum Fenders
24" Tall Slanted ATP Stoneguard
Framed for Roof vent
*24" Slant Wedge (5' & 6' Wide)
3" Top & Bottom Trim
28" Aluminum Frame Side Door on 5 Wide Models
32" Aluminum Frame Side Door on 6 Wide Models
36" Aluminum Frame Side Door on 7 Wide Models

(QADT) - 2"x3" Tublar Alum Main Frame On SA
(QADT) - 2"x5" DBL Hollow Tube Alum Main Frame On TA
(QADT) - 24" O/C Tube Alum Floor Crossmembers
(QADT) - 16" O/C Tube Alum Wall Studs
(QADT) - 24" O/C Tube Alum Roof Bows
*30" Slant Wedge (7' Wide)
Flush Lock on Side Door
Side Door Pull-Handle
Ramp Door W/ Spring Assist
3/4" RainBlock Floor
White Vinyl Walls & Ceiling
(2) 12 Volt Dome Light w/Switch (1 on 5x Models)
12 Volt Loading Light W Switch
LED Strip Tail and Clearance Lights
(1) Pair Flow Thru Vents
ATP Transition Plate
(1) Bike Pkg-1 Removable Chock (4) D-Rings (5 & 6 Wide)
(2) Bike Pkg-2 Removable Chock (8) D-Rings (7-Wide)
(2) Fold Down Rear Stabilizer Jacks
DOT/CSA Approved Safety Equipment
Limited 3 Year Warranty

CAR HAULERS

Phoenix



Phoenix Open Car Hauler

Shown With Optional Round Top No Wedge Package



Aluminum Open Car Hauler Standard Features

- 2"x 5" Tubular Aluminum Main Frame
- 3' Beavertail
- 16" O/C Crossmembers
- 2-5/16" Coupler
- 3500# Spring Axles
- Brake Drop Axles
- ST205/75R15 LRC Radial Tires
- Steel Silver Mod Wheels
- Chrome Center Caps
- ATP Fenders
- 7 Way Electrical Plug
- DOT Approved Safety Equipment
- LED Marker and Tail Lights
- * 2 x 6 Treated Lumber Decking
- Removable Rear Ramps
- (4) 5000# D-Rings
- (2) Fold Down Rear Stab Jacks
- Removable Fenders
- Limited 3 Year Warranty

Aluminum Open Trailer Standard Features

- 2"x4" Tubular Aluminum Main Frame On 5W
- 2"x4" Tubular Aluminum Main Frame On 6.5x10'-12'
- 2"x5" Tubular Aluminum Main Frame On 6.5x14'-16'
- 2"x6" Tubular Aluminum Main Frame On 6.5x18'-20'
- 24" O/C Crossmembers
- 2" Coupler With A-Frame on SA
- 2-5/16" Coupler With A-Frame on TA
- 3500# Spring Axle(s)
- Brake Drop Axles on TA
- ATP Fenders
- ST205/75D-15 LRC Bias Ply Tires
- Steel Silver Mod Wheels
- 4 Way Electrical Plug on SA
- 7 Way Electrical Plug on TA
- DOT Approved Safety Equipment
- LED Marker Lights
- LED Strip Tail Lights
- 5/4 x 6" Treated Lumber Deck
- 16"H Tubular Railing
- 4' Extruded Aluminum Fold Down Rear Gate
- Limited 3 Year Warranty

Phoenix Series Standard Features

- 2x6 Tube Steel Main Rails (8.5 wide)
- 2x5 Tube Steel Main Rails (7wide)
- 2x4 Tube Steel Main Rails (6wide TA)
- 2x3 Tube Steel Main Rails (5x & 6w SA)
- Steel Wall Z-Post (16" O/C)
- Tube Steel Roof Bows (24"O/C)
- 16" O/C Floor Crossmembers
- 3500# or 5200# Lippert Spring Axle (s)
- Electric Brakes on 7wide Single Axles
- Wide Track Axle/s on 7wide
- ST205/75D15 Silver Bias Tires & Wheels (SA/TA-TA2)
- ST225/75D15 Silver Bias Tires & Wheels (TA3 Only)
- 2" Ball Coupler on SA
- 2-5/16" Ball Coupler on TA
- 7 Way Electrical Plug (4-Way on SA)
- .030 Exterior Aluminum
- Galvalume Roof
- Painted Tongue/Rear Sill Black
- 1-1/2" Flat Bottom Trim
- Smooth Aluminum Fenders
- Screwless Exterior Metal
- 24" Tall ATP Stoneguard
- Roof Vent
- **24" Flat Top Wedge on 5-6x Models
- **30" Flat Top Wedge on 7x & 8.5x Models
- 3/4" RainBlock Floor
- 3/8" Plywood Walls
- *No Side Door on 5 Wide Models
- *32" Aluminum Frame Side Door on 6, 7, 8.5 Wide Models
- Aluminum Frame Dbl Rear Doors on 6,7, & 8.5wides
- Aluminum Frame Single Rear Door on 5wides
- Zinc Coated Door Hardware
- LED Strip Tail Lights
- Incandescent Marker (7 Red & 4 Amber)
- 12V Dome Light w/Switch
- DOT/CSA Approved Safety Equipment
- Limited 3 Year Warranty

COMANCHE SNOW TRAILERS



COMANCHE SNOW PACKAGE:

(2) Fuel Doors, (2) 12V Rear Loading Lights with Switch, 32" Helmet Rack, and Rear Stabilizer Jacks

STANDARD COLORS:

White or Black (Other colors available as an upgrade)

POLULAR OPTIONS:

White Vinyl Walls & Ceiling
Aluminum Wheels

Comanche Series Standard Features

- | | |
|---|--|
| <ul style="list-style-type: none"> 16" O/C Aluminum Wall Posts 24" O/C Aluminum Roof Bows 24" O/C Aluminum Crossmembers Deck Over on 8.5x Beavertail on 8.5x Lippert Spring Axles with E-Z Lube Hubs ST205/75D15 Bias Tires Silver Mod Wheels 7 Way Electrical Plug 2" Coupler - Bolt on Seamless Aluminum Roof Flat Top Roof w/ Slanted Wedge .024 Exterior Aluminum (White or Black at No Additional Charge) Painted Exterior Screws (Wht, Blk, Red, Zinc) Smooth Aluminum Fenders 16" ATP Stoneguard | <ul style="list-style-type: none"> Heavy Duty Extruded Bottom Trim 3" 36" Aluminum Frame Side Door on 7x & 8.5x Zinc Coated Door Hardware Front (C/S) / Rear Ramp Doors w/ Spring Assist (No Ramp Flaps) 3/4" Plywood Floor 24" 3/8 Plywood Kickboard (no interior wall board) (2) 12 Volt Dome Light w/Switch DOT/CSA Approved Safety Equipment LED Strip Tail Lights Incandescent Marker Lights (13 total) (2) Plastic Sidewall Flo-Thru Vents Black License Plate Holder License Plate Light (6) 1200# D-Rings - surface mount Limited 3 Year Warranty |
|---|--|

PREMIUM VALUE SNOW TRAILERS

MOUNTAINEER



Mountaineer interior shown with optional white ceiling and helmet cabinet

Mountaineer interior 7 1/2 wide snow trailer option shown



Mountaineer 8' wide interior shown with options



Mountaineer Series Standard Features

2"x5" Double Hollow Tube Aluminum Main Frame
16" O/C Tube Aluminum Wall Post
16" O/C Tube Aluminum Roof Bows
24" O/C Tube Aluminum Crossmembers
3500# Lippert Spring Axles with 4" Drop
Wide Track Axles on 7Wide
Deck Over on 8.5x
Beavertail on 8.5w
ST205/75R15 LRC Tires
Aluminum Wheels w/SS Center Caps & Lug Nuts
2" Coupler Bolt On
Flat Top Roof w/ Slanted Wedge
Seamless Aluminum Roof
.030 Screwless Exterior Aluminum
Two-Tone Exterior Aluminum
4" Bright Anodized Divider Strip
24" ATP Slanted Stoneguard
Smooth Aluminum Fenders

3" Top Trim
Roof Vent
36" Aluminum Frame Side Door on 7x
48" Aluminum Frame Side Door on 8x
RV Flush Lock & Bar Lock on Side Door
Front (C/S) / Rear Ramp Doors with Spring Assist w/Flaps
3/4" RainBlock Floor
White Vinyl Walls with 24" Kickboard
(2) 9" Deluxe Interior Dome Lights with Switch
(2) 12V Rear Loading Lighs with Switch
(1) 12V Front Loading Light with Switch
LED Strip Tail & Marker Lights
(2) Plastic Side Wall Flo-Thru Vents
(9) 5000# Recessed D-Rings
(2) 14" x 14" Fuel Doors **NEW**
DOT/CSA Approved Safety Equipment
Limited 3 Year Warranty

POPULAR OPTIONS



Aluminum Wheels



Wheel Chock, D-Rings, Marble Flooring



Interior Wall Mount Spare Tire Carrier



Furnance Package



LP Tanks



Radius Corner Helmet Cabinet



Concession Doors with Gas Props



E-Track Floor and Walls



RV Side Door

Colors Available:

Polar White

Orange

Yellow

Victory Red

Brandywine

Cargo Green

Indigo Blue

Windstar Silver

Metallic Pewter

Champagne Beige


Dove Gray

Metallic Charcoal

Black

Due to continual improvement of Qualitec Trailers products, we reserve the right to change material, colors, specifications and prices at any time without prior notification. Selected photos may show optional equipment that are not part of the product.

Qualitec Trailers assumes no responsibility for any error in type or print reproduction of specifications or color in this brochure.



907 S Division Street
Bristol, Indiana 46507

Phone: (574) 848-0756 Fax: (574) 848-0757

Visit our website for complete details: WWW.QUALITECTRILER.COM